

# **Synoptic Estimates of Waves and Currents via Real-Time Assimilation of *In-Situ* Observations**

David T. Walker  
Veridian Systems Division, Inc.  
P.O. Box 134008 Ann Arbor MI 48113-4008  
phone: (734) 994-1200 x2987 fax: (734) 994-5824 email: [david.walker@veridian.com](mailto:david.walker@veridian.com)

Merrick C. Haller  
Oregon State University, Corvallis, OR 97331-2302  
phone: (541) 737-9141 fax: (541) 737-0485 email: [hallerm@engr.orst.edu](mailto:hallerm@engr.orst.edu)

Award Numbers: N00014-00-D-0114-0007, N00014-02-1-0147  
<http://www.veridian.com/>

## **LONG-TERM GOALS**

The long term goal of this effort is to develop a methodology to monitor near-shore waves and currents over large spatial scales using data from in-situ sensors.

## **OBJECTIVES**

The proposed program will develop the capability of monitoring nearshore waves and currents over large scales, and will allow the timely use of information from in-situ sensors. The specific objectives to be addressed are to: 1. Develop a near-real-time capability for assimilating single- or multiple-point in-situ observations into a phase-resolving wave model; 2. Test and validate the methodology against both simulated data and archival field data for both simple and complex beach types; and 3. Conduct a full-scale test of the methodology by applying it in near-real time to a comprehensive field experiment on complex topography.

## **APPROACH**

The procedure being developed makes use of a variational data assimilation capability for the extended-Boussinesq wave model of Wei *et al.* (1996). The approach is to use time-series data from instruments in the interior of a region to estimate the time-dependent boundary conditions for the Boussinesq model at the boundaries of the region. These boundary conditions will yield a Boussinesq-model prediction which matches the data.

## **WORK COMPLETED**

The work completed during the past fiscal year includes development of the mathematical framework for the assimilation procedure, improvements in the numerical implementation of the extended Boussinesq model and its adjoint, and addition of improved wavemaker and run-up models in the parallel Boussinesq code.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE <b>30 SEP 2002</b>		2. REPORT TYPE		3. DATES COVERED <b>00-00-2002 to 00-00-2002</b>	
4. TITLE AND SUBTITLE <b>Synoptic Estimates of Waves and Currents via Real-Time Assimilation of In-Situ Observations</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>Veridian Systems Division, Inc., P.O. Box 134008, Ann Arbor, MI, 48113</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT <b>The long term goal of this effort is to develop a methodology to monitor near-shore waves and currents over large spatial scales using data from in-situ sensors.</b>					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>Same as Report (SAR)</b>	18. NUMBER OF PAGES <b>4</b>	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			

## RESULTS

The objective of this program is to develop a methodology to use in-situ, time-series observations from the interior of a near-shore region to determine the time-dependent boundary conditions to be applied to an extended Boussinesq wave model to reproduce the observed wave field.

During the past fiscal year, the first issue addressed was the appropriate approach for specifying the boundary conditions. Two approaches have been examined. The first approach attempts to determine the surface elevation and velocity time histories along the boundaries; this involves using the adjoint velocity and surface-elevation solution to determine the gradient of the error between the predictions and observations with respect to the boundary conditions on velocity and surface elevation. This requires calculation of the gradient from the adjoint solution, as well as storage of the time-history of all three variables on the boundary. A simpler and more efficient approach has also been examined which makes use of impervious boundary conditions, and a ‘wavemaker’ at the boundaries. The wavemaker is represented by a source term in the continuity equation, localized at the boundaries. The source amplitude is a single variable, and the gradient of the error with respect to the source amplitude is directly proportional to adjoint surface elevation at the boundary, making it simpler to calculate and more efficient to store. This latter, simpler approach is currently being evaluated.

The present assimilation code includes a parallel implementation of the Wei *et al.* (1996) extended Boussinesq model and its adjoint. To apply this code to prediction and assimilation of temporally long data sets, wave breaking and runup of waves on the beach must be accommodated. For this reason, the wave breaking and run-up models of Chen *et al.* (2000) have been implemented in the forward model. In addition, an improved wavemaker capable of generating waves with a prescribed directional spectrum at the deep-water boundary is being implemented. This will allow evaluation of forward model parameterizations of wave breaking by comparing model predictions of spatial and temporal wave breaking patterns with video observations (both SandyDuck data and AROSS data from Duck) in order to identify any improvements in model physics necessary for the success of the assimilation procedure.

## IMPACT/APPLICATIONS

The potential applications of the methodology range from determining in a timely manner the conditions on a denied beach, to providing an ongoing, synoptic view of a field experiment in progress, as well as providing a tool for interrogating the near-shore hydrodynamics on beaches with high spatial variability. The results of the proposed program will provide the capability of monitoring near-shore waves and currents over large scales with greater accuracy, and allow the timely use of information from in-situ sensors.

## RELATED PROJECTS

This project is part of the ONR Nearshore Canyon Experiment.

## REFERENCES

Chen, Q., Kirby, J. T., Dalrymple, R. A., Kennedy, A. & Chawla, A. 2000 Boussinesq modeling of wave transformation, breaking, and runup. II. 2D. *J. Waterway, Port, Coast., and Ocean Eng.* **126**, 48–56.

Wei, G., Kirby, J. T., Grilli, S. T. & Subramanya, R. 1996 A fully nonlinear Boussinesq model for surface waves. Part 1. Highly nonlinear unsteady waves. *J. Fluid Mech.* **294**, 71–92.